

TEST REPORT

The report shall not be reproduced without written approval from Intertek
The results relate only to the item as received.

Report no.: BKKH26008997

Applicant: BODYSTEEL AND SILVER CO., LTD
63 MOO 5, SOI WATBANG-CO YAEK RONG-FOAM, KANCHANAPHISEK
ROAD., BANGMAENANG, BANGYAI, NONTABURI 11140

Issued Date: Aug 24, 2026

Sample Submitted:

Quantity of sample: Twelve (12) pieces
Sample description: Hoop Earring
Date sample received: August 10, 2026

Client Information:

Sample Name: PVD Product RG-BHSR-16GA 1.2x10
Item no.: PVD Rose gold 18K coating
Supplier name: BODYSTEEL AND SILVER CO., LTD
Country of Origin: Thailand



For and on behalf of :
Intertek Testing Services (Thailand) Ltd.,
Hardlines Laboratory

Ladtaka W.

Ladtaka Wongwiboonporn
Operation Manager
Hardlines Department

TEST REPORT

The report shall not be reproduced without written approval from Intertek
The results relate only to the item as received.

Report no.: BKKH26008997

Test conducted:

As requested by the applicant, for details please refer to attached page(s)

Conclusion:

<u>Tested samples</u>	<u>Regulation</u>	<u>Result</u>
Submitted sample	Lead content requirement in Regulation (EU) No 836/2012 of the REACH Regulation (EC) No 1907/2006 Annex XVII Item 63	Pass
	Cadmium content requirement in Regulation (EU) No 494/2011 of the REACH Regulation (EC) No 1907/2006 Annex XVII Item 23	Pass
	Nickel release content requirement in Annex XVII Item 27 of the REACH Regulation (EC) No.1907/2006 & Amendment No.552/2009 (Formerly known as Directive 94/27/EC and 2004/96/EC)	Pass



TEST REPORT

The report shall not be reproduced without written approval from Intertek
The results relate only to the item as received.

Report no.: BKKH26008997

Test conducted:

1 Total Lead (Pb) Content[▲]

As per Lead content requirement in Regulation (EU) No 836/2012 of the REACH Regulation (EC) No 1907/2006 Annex XVII Item 63, acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

<u>Tested samples</u>	<u>Result (%)</u>	<u>LOD (%)</u>	<u>LOQ (%)</u>	<u>Limit (%)</u>
Submitted sample	ND	0.0002	0.0013	0.05

Remark: % = Percentage based on weight of sample;
ND = Not detected (Less than LOD)
LOD = Limit of detection
LOQ = Limit of quantitation
▲ = Tested items are not included in the TISI Accreditation

Tested component: PVD Product RG-BHSR-16GA 1.2x10

Testing period: August 10, 2026 to August 17, 2026

2 Total Cadmium (Cd) Content[▲]

As per Cadmium content requirement in Regulation (EU) No 494/2011 of the REACH Regulation (EC) No 1907/2006 Annex XVII Item 23, acid digestion method was used and total Cadmium content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

<u>Tested samples</u>	<u>Result (%)</u>	<u>LOD (%)</u>	<u>LOQ (%)</u>	<u>Limit (%)</u>
Submitted sample	ND	0.0001	0.0005	0.01

Remark: % = Percentage based on weight of sample;
ND = Not detected (Less than LOD)
LOD = Limit of detection
LOQ = Limit of quantitation
▲ = Tested items are not included in the TISI Accreditation

Tested component: PVD Product RG-BHSR-16GA 1.2x10

Testing period: August 10, 2026 to August 17, 2026

TEST REPORT

The report shall not be reproduced without written approval from Intertek
The results relate only to the item as received.

Report no.: BKKH26008997

Test conducted:

- 3 Release of Nickel for Body Piercing Post Assemblies
As per BS EN1811: 2023.

Tested component	Trial	Sample area (cm ²)	Volume of Test solution (ml)	LOD (µg.cm ⁻² .week ⁻¹)	LOQ (µg.cm ⁻² .week ⁻¹)	Result Δ (µg.cm ⁻² .week ⁻¹)
Submitted sample	1	0.82	0.82	0.02	0.10	0.14
	2	0.82	0.82	0.02	0.10	0.12
	3	0.82	0.82	0.02	0.10	0.14

Remark : LOD = Limit of detection
LOQ = Limit of quantitation
µg = Microgram
cm² = Square centimeter

Requirement: 0.2 µg.cm⁻².week⁻¹

Remark: Δ = According to BS EN1811: 2023, EN1811: 2023 (E), compliance decision was made based on the following rules.

Result	Interpretation
< 0.35 µg.cm ⁻² .week ⁻¹	Compliance (Pass)
≥ 0.35 µg.cm ⁻² .week ⁻¹	Non-compliance (Fail)

Tested component: PVD Product RG-BHSR-16GA 1.2x10

Testing period: August 10, 2026 to August 24, 2026

***** E N D *****/SL/WB/LW

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk. This report shall not be reproduced, except in full.